Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's name or trade mark: | LEDVANCE |
|--------------------------------|----------|

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany

Model identifier: AC36526

| I V DC OI IISIIL JOUI CC | Type | of lig | tht s | ource: |
|--------------------------|------|--------|-------|--------|
|--------------------------|------|--------|-------|--------|

separate con-

trol gear, light-

ing control

Depth

| Lighting technolog | gy used: | LED | Non-directional or directional: | NDLS |
|--|----------------------------|---------------------------|--|--------------|
| Light source cap-t | ype | constant volt- | | |
| (or other electric i | nterface) | age: 36 Vdc | | |
| Mains or non-mai | ns: | NMLS | Connected light source (CLS): | Yes |
| Colour-tuneable li | ght source: | No | Envelope: | - |
| High luminance lig | tht source: | No | | |
| Anti-glare shield: | | No | Dimmable: | Yes |
| | | Product para | meters | |
| Parameter | | Value | Parameter | Value |
| | | General product p | arameters: | |
| Energy consump mode (kWh/1000 up to the nearest | h), rounded | 36 | Energy efficiency class | F |
| Useful luminous fl dicating if it refers a sphere (360º), in (120º) or in a narro | to the flux in a wide cone | 3 900 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 5 000 |
| On-mode power pressed in W | r (P _{on}), ex- | 36,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 |
| Networked star (P _{net}) for CLS, exp and rounded to th imal | oressed in W | 0,00 | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 95 |
| | leight | 1 | Spectral power dis- | See image |
| sions without \[\lambda | Vidth | 1 | tribution in the | in last page |


375

range 250 nm to 800

nm, at full-load

| parts and non- lighting con- trol parts, if any (millime- tre) | | | | | |
|--|------|------------------------------|-------|--|--|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - | | |
| | | Chromaticity coordi- | 0,345 | | |
| | | nates (x and y) | 0,355 | | |
| Parameters for LED and OLED light sources: | | | | | |
| R9 colour rendering index value | 1 | Survival factor | 0,90 | | |
| the lumen maintenance factor | 0,96 | | | | |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 14/09/2021



EPREL registration number: 701166 https://eprel.ec.europa.eu/qr/701166

Supplier: LEDVANCE GmbH (Manufacturer) Website: http://www.ledvance.com/

Customer care service:

Name: LEDVANCE GmbH Website:

Email: contact@ledvance.com Phone: +49 89-780673-100

Address:

Parkring 33, Garching, Germany